

United Kingdom & Ireland

Made in Germany





2024 sunlight.de/en

## Important information regarding the selection of your motorhome

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage - space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

### ightarrow 1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Sunlight specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

Permitted seats (including driver)*	4	
Berths	2-3 <sup>OPT</sup>	
Length / Width / Height (cm)	595 / 214 / 287	
Headroom in living area (cm)	195	_
Standard chassis	Citroën Jumper	
Standard engine	2.2 BlueHDI	
	103 (140)	
Mass in running order* (kg)	2679 (2545–2813)*	-
Manufacturer-specified mass for optional equipment* (kg)	497	
Technically permissible maximum laden mass* (kg)	3500	

### → 2. The mass in running order...

... consists - to put it simply - of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Sunlight weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

### 3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated.

Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section

Permitted seats (including driver)*	4
Berths	2-3 <sup>OPT</sup>
Length / Width / Height (cm)	595 / 214 / 287
Headroom in living area (cm)	195
Standard chassis	Citroën Jumper
Standard engine	2.2 BlueHDI
kW (hp)	103 (140)
Mass in running order* (kg)	2679 (2545–2813)*
Manufacturer-specified mass for optional equipment* (kg)	497
Technically permissible maximum laden mass <sup>*</sup> (kg)	3500

### 4. The manufacturer-specified mass for optional equipment...

... is a value set by Sunlight per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

COMFORT	Additional weight*	S
Bed conversion for seating area 4)	5 kg	0
Carpet	5 kg	•
Nooden duckboard for the shower tray	2 kg	•
Foldable window blinds	7,5 kg	•
	Ŷ	•

5. The additional weight of optional equipment and packages... ... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.



### FETY

+ 0,7 kg \*

ane Control

- Rain and Dusk Sensor
- Traffic Sign and High Beam Recognition
- Matrix Instrument Cluster

# Layouts

## **Adventure Edition**

	V 60	V 66	V 69	
Price	£ 56.190,-	£ 58.590,-	£ 58.590,-	
Permitted seats (including driver)*	4	4	4	
Berths	2-3 <sup>OPT</sup>	2	2	
Length / Width / Height (cm)	595 / 214 / 274	665 / 214 / 274	686 / 214 / 274	
Headroom in living area (cm)	195	195	195	
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato	
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet	
κW (hp)	103 (140)	103 (140)	103 (140)	
Mass in running order* (kg)	2598 (2468–2728)	2673 (2539–2807)	2685 (2551–2819)	
Manufacturer-specified mass for optional equipment* (kg)	568	486	464	
Technically permissible maximum laden mass* (kg)	3500	3500	3500	
Technically permissible towing weight 12 % braked (unbraked) (kg)	2000 (750) <sup>1)</sup>	2000 (750) 1)	2000 (750) 1)	
Tire size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP	
Wheelbase (cm)	345	380	380	
Bed dimension: Central / middle bed, L × W (cm)	192 × 65-45 OPT	-	-	
Bed dimension: Rear bed, L × W (cm)	200 x 70 194 x 140–130 195 x 80 200–195 x 194		195 × 140	
Refrigerator volume incl. freezer (I)	78 (11)	78 (11)	78 (11)	
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas	
Total fresh water tank capacity / fresh water tank when driving filled (I)	116 / 20	116 / 20	116 / 20	
Waste water tank (I)	92	92	92	
Sockets: 230 V	4	4	4	
Inner dimensions storage locker right/ left W × H (cm)	65 × 110 45 × 85	65 × 105 70 × 75	85 × 90 85 × 90	
Storage space for two gas cylinders with filling weight (kg)	2 × 11	2 × 11	2 × 11	
	To Website	To Website	To Website	

# 

The specified mass in running order is a default value defined in the type-approval The real weight of your vehicle ex works can only be determined when it is weighed procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in equipment due to a permissible weight deviation, we will check together with your kilograms is given in brackets after the mass in running order.

The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight.

at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration

of the vehicle can be found in the section Legal information.

# Extended Standard equipment **Adventure Edition**

Made In Germany

# money

www.sunlight.de/en

- $\rightarrow$  Fiat Ducato 3.500 kg -2.2 Multijet - 103 kW / 140 BHP Euro 6 - 6-speed manual gearbox
- $\rightarrow$  Chassis colour white
- $\rightarrow$  Painted bumper
- $\rightarrow$  Adventure Decals
- $\rightarrow$  Soft furnishing Adventure
- $\rightarrow$  FIAT original 16" alloy wheels for Light Chassis



- $\rightarrow$  2nd external storage door (size depends on layout)
- $\rightarrow$  Bed conversion single to double bed
- $\rightarrow$  Cab sunroof
- $\rightarrow$  Basic Pack
- → Style Pack 1

# **Standard equipment**

### **BASIC VEHICLE**

- Fiat Ducato 3.500 kg 2.2 Multijet 103 kW / 140 BHP Euro 6 - 6-speed manual gearbox
- Eco Pack Start & Stop function incl. booster
- Front Wheel Drive
- · Manual cab air conditioning Cruise control
- Driver and Passanger airbag
- Wide-track chassis
- Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt
- Low vibration, electrical and heated cab mirrors in coach optic with wide angle
- Driver and passenger seats swivel
- Driver and passenger seats with armrests & upholstered covers Height and rake adjustment for driver and
- passenger seat
- Central cup holder
- USB port
- ABS, EBD, ESP incl, ABS and hillholder
- Electric operated cab windows and central locking
- Electric and heated mirrors
- Fix & Go breakdown kit
- 75l fuel tank
- Captain chairs with covers
- Radio pre-wiring including speakers
- Radio aerial integrated in mirror
- Comfortable driving experience with rear and front axle stabilizers



- 7-vear water ingress warranty<sup>2)</sup>
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- · Roof and sidewall thickness: 34mm, floor thickness: 41mm
- Design rear light carrier in three parts with full-LED lights
- · High quality entrance door with ergonomic handle inside and outside
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- · Roof light with frosted perspex glas and flyscreen
- Electric step • Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- · Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg

## COMFORT

- Ergonomically shaped upholstery for improved seat comfort
- · Isofix for 2 seats
- Table extension
- · High-quality mattress in all beds Mattress cover removable and washable
- · Wooden slatted frame in all fixed-beds for better sleeping comfort
- Spacious storage compartments and storage options
- · Ventilation for storage locker and seat backrest
- · Overhead lockers with soft close system
- Furniture Decor Black Flow, Dyna White and Active Grey
- Floor Mountain Lodge

## INSTALLATIONS

- · High-performance, maintenance-free leisure battery (95 Ah AGM)
- Bord-control-panel supplies information about filling levels and battery capacity
- · Automatic switching and separating systems for starter and leisure battery as well as for
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light LED interior light
- USB Socket (double)

HEATING / GAS SUPPLY

- Gas bottle locker for 2 × 11 kg gas bottles
- Gas heating Combi 4
- · Gas control valves easily accessible and centrally arranged

### KITCHEN

- Ergonomically arranged kitchen with spacious work top
- · Large drawers with soft-close in the kitchen unit

[]] \_\_\_\_\_

- 2-burner cooker with piezo ignition and glass cover
- Water tank incl. boiler 116 l, waste water tank 92 l
- Fridge 78 I with freezer compartment 11 I
- Waste bin

## BATHROOM

- Variobath
- · Roof vent with integrated flyscreen blind
- Large mirrors
- Clothes rail in bathroom
- Shower cubicle lining

Basic Pack

PACKS











refrigerator

8

# **Optional extras**

🛱 BASIC VEHICLE	Sales price a)	Additional weight*	V 60 AE	V 66 AE	V 69 AE	possible
Fiat Ducato 3.500 kg 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 9-speed automatic gearbox	£ 3.680,-	55 kg	0	٥	٥	- ot bo
Traction+	£ 110,-	0,5 kg	٥	٥	٥	- Not
Full Digital Cluster (Only in conjunction with multifunction steering wheel)	£ 630,-	0,3 kg	٥	٥	٥	/ ±
Aultifunction steering wheel	£ 110,-	0,4 kg	٥	٥	0	equipment
Automatic air conditioning incl. mobile phone charger (inductive)	£ 730,-	0 kg	٥	٥	0	adui
00 fuel tank	£90,-	13,5 kg	٥	٥	٥	arde
🚊 WEIGHT INCREASE						• Standard
Veight increase to 3,65 t (no chassis modification)*	£ 220,-	0 kg	0	٥	٥	_
CONVERSION						
Two rear corner steadies	£ 300,-	6 kg	٥	٥	٥	
nsulated waste water tank	£ 160,-	8 kg	٥	٥	٥	
COMFORT						
extra bed onto driver's seat (please order via spare parts department)	price on request	10 kg	٥	٥	٥	_
ed conversion for seating area 30	£ 320,-	5 kg	٥	-	-	
arpet	£ 270,-	5 kg	٥	٥	٥	
ooden duckboard for the shower tray	£80,-	2 kg	٥	٥	٥	
oldable window blinds	£ 610,-	7,5 kg	٥	٥	٥	_
· · · · · · · · · · · · · · · · · · ·						
Second AGM leisure battery 95 Ah	£ 300,-	27 kg	٥	٥	٥	
eating Combi 6 E (with el. heating element) incl. digital control panel	£ 650,-	2 kg	٥	٥	٥	
oor heating electric in living area	£ 460,-	6 kg	٥	٥	٥	
V TV pre-cabling incl. flat screen holder	£ 200,-	3 kg	٥	٥	٥	
e-cabling solar system	£ 160,-	2 kg	0	٥	٥	
ven in kitchen	£ 490,-	12 kg	0	٥	٥	
₽ ■ © PACKS						
Style Pack 2	£ 1.370,-	0 kg	٥	٥	٥	
Safety Pack	£ 930,-	0,5 kg	0	0	0	

# Packages

# PACK

+ 15,6 kg \*

- ge Light
- creen door (one-piece)
- cabling reversing camera
- or with coat hooks
- pramic roof light over lounging area
- r glass roof light 40 x 40

### d as standard in Adventure Edition

AFETY PACK	+ 0,5 kg *

- and Dusk Sensor
- ic Sign and High Beam Recognition

price

£930,-

- 2) The water ingress warranty conditions of Sunlight GmbH apply.
- 3) When ordering the option bed conversion of the seating area on the V60, please note that the wardrobe in living room is replaced with a side seat incl. overhead locker.

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout.

The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews.

This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout.

The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews.

Brake Control with Pedestrian Detection e Control

### **STYLE PACK 1**

- · Leather steering wheel and gear knob in leather trim
- Air outlets with applications silver (Techno-Trim)
- Radiator grill in glossy black
- · Skid Plate Black
- · LED daytime running lights
- · Headlights with black frame

Included as standard in Adventure Edition

### **STYLE PACK 2**

+ 0 kg \*

£ 1.370,-

- · Leather steering wheel and gear knob in leather trim
- Air outlets with applications silver (Techno-Trim)
- Radiator grill in glossy black
- · Skid Plate Black
- Full LED Headlamps incl. wiping indicators and LED daytime running lights

Package price

1) With optional weight upgrade to 3,650 kg, towing weight is reduced to 2,000 kg. a) This is a non-binding price recommendation based on German retail prices. Prices in other countries may differ due to currency conversion and countryspecific VAT, fees and import duties. Therefore, for the latest information, please ask a local dealer for the prices applicable to your country.

> This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

+ 0 kg \*

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Sunlight configurator on our website offer you additional assistance in configuring your vehicle.

### 1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

### 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is  $\pm$  5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Sunlight makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Sunlight by weighing each vehicle at the end of the line.

### 3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3 \* 75 kg = 225 kg.

# 4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer - i.e. ex works - and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works. The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of ± 5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

### 5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg  $\ge$  10 \* (n + L) Where: "n" is the maximum number of passengers plus the driver and

"L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg \* (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

#### 3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
- 3\*75 kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

#### 3,500 kg technically permissible maximum laden mass

- 2,907 kg real weighed mass in running order
- (+ 2 % compared to the stated value of 2,850 kg)
- 3\*75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = **43 kg** actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Sunlight further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Sunlight will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

# 6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

### 3.500 kg technically permissible maximum laden mass

- 2.907 kg real weighed mass in running order
- (+ 2 % compared to the stated value of 2,850 kg)
- 3\*75 kg mass of the passengers
- 150 kg optional equipment ordered for the specific vehicle
- = 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.



### United Kingdom & Ireland

### Made in Germany

#### **General Information**

Price list for Sunlight Van version 01/2023, valid from 14/01/2023. All previous price lists become invalid with the issuance of this price list. Prices in EURO may vary across Europe. This is the result of differing standard configurations depending on the country as well as varying VAT and luxury tax rates. Copyright held by Sunlight GmbH. Errors and misprints regarding prices and technical data are possible. We reserve the right to amend prices and technical data. All of the images in this Sunlight catalogue may depict alternative designs or special equipment for which additional costs apply. Deviations in color are possible for technical printing reasons.

A company of the ERWIN HYMER GROUP

# Sunlight 😚

Graphics and layout: HammerAlbrecht Photos: Martin Erd Sunlight GmbH Ölmühlestraße 6 D-88299 Leutkirch T +49 7561 9097 200 E info@sunlight.de

W www.sunlight.de/en